

	Kisling - 4253		
Revision date: 21.03.2025	Product code: 4253	3	Page 1 of 1
SECTION 1: Identification of	the substance/mixture and of the com	pany/undertaking	
1.1. Product identifier			
Kisling - 4253			
1.2. Relevant identified uses of	the substance or mixture and uses advised	d against	
Use of the substance/mixtur	re la		
Adhesives and sealants			
Uses advised against			
No information available.			
.3. Details of the supplier of th	e safety data sheet		
Manufacturer			
Company name:	Kisling AG		
Street:	Motorenstrasse 102		
Place:	CH-8620 Wetzikon		
Telephone:	+41 58 272 0 272		
E-mail:	customerservice@kisling.com		
Contact person:	Product Compliance	Telephone: +49 7940 5096 143	
E-mail:	compliance@kisling.com		
Internet:	www.kisling.com		
Supplier			
Company name:	Kisling (Deutschland) GmbH		
Street:	Salzstraße 15		
Place:	D-74676 Niedernhall		
Telephone:	+49 7940 50961 61		
E-mail:	customerservice@kisling.com		
Contact person:	Product Compliance	Telephone: +49 7940 5096 143	
E-mail:	compliance@kisling.com	-	
Internet:	www.kisling.com		
.4. Emergency telephone	24 hr. emergency phone number +1	872 5888271 (KAR)	

Medicines & Poisons Info Office +356 2545 6508

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272	/2008
Hazard statements	
H412	Harmful to aquatic life with long lasting effects.
Precautionary stateme	nts
P273	Avoid release to the environment.
P501	Dispose of contents/container to an appropriate recycling or disposal facility.

Labelling of packages where the contents do not exceed 125 ml

Hazard statements

H412



Kisling - 4253

Revision date: 21.03.2025

Product code: 4253

Page 2 of 10

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture of substances listed below with nonhazardous components.

Relevant ingredients

CAS No	Chemical name					
	EC No	Index No	REACH No			
	Classification (Regulation (EC) No	1272/2008)				
25852-47-5	Polyethylene glycol dimethacrylate					
	Aquatic Chronic 3; H412					
80-15-9	cumene hydroperoxide		0.1 - < 1 %			
	201-254-7	617-002-00-8				
	Org. Perox. E, Acute Tox. 3, Acute Tox. 4, Acute Tox. 4, Skin Corr. 1B, STOT RE 2, Aquatic Chronic 2; H242 H331 H312 H302 H314 H373 H411					
114-83-0	2-phenylacetohydrazide		0.1 - < 1 %			
	204-055-3					
	Acute Tox. 3; H301					

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
80-15-9	201-254-7	4-7 cumene hydroperoxide	
	1100 mg/kg; o	E = 3 mg/l (vapours); inhalation: ATE = 0.5 mg/l (dusts or mists); dermal: ATE = ral: LD50 = 382 mg/kg Skin Corr. 1B; H314: >= 10 - 100 Skin Irrit. 2; H315: >= 3 am. 1; H318: >= 3 - < 10 Eye Irrit. 2; H319: >= 1 - < 3 STOT SE 3; H335: >= 1 - <	
114-83-0	204-055-3	2-phenylacetohydrazide	0.1 - < 1 %
oral: LD50 = 270 mg/kg			

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No special measures are necessary.

After inhalation

Provide fresh air.

After contact with skin

Gently wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.

After ingestion

Do NOT induce vomiting. Rinse mouth thoroughly with water. IF SWALLOWED: Immediately call a doctor.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.



Kisling - 4253

Revision date: 21.03.2025

Product code: 4253

Page 3 of 10

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

alcohol resistant foam, Carbon dioxide (CO2), Dry extinguishing powder

Unsuitable extinguishing media

Full water jet.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products, Flammable vapours can accumulate in steam space of closed systems.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information

Co-ordinate fire-fighting measures to the fire surroundings. Use water spray jet to protect personnel and to cool endangered containers. Evacuate area.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Use personal protection equipment. See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Prevent spread over a wide area (e.g. by containment or oil barriers). Retain contaminated washing water and dispose it. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

For cleaning up

Soak up inert absorbent and dispose as waste requiring special attention.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas. Keep away from sources of ignition - No smoking.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

Further information on handling

Keep only in the original container in a cool, well-ventilated place. Never use pressure to empty container. Do not allow to enter into surface water or drains.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed and in a well-ventilated place.



Kisling - 4253 Product code: 4253

Revision date: 21.03.2025

Hints on joint storage

No special measures are necessary.

Further information on storage conditions

No special measures are necessary.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls





Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection.

Hand protection

Wear protective gloves.

Breakthrough times and swelling properties of the material must be taken into consideration. NR (natural rubber, Natural latex) 0,5 mm, Breakthrough time: 480 min EN ISO 374

Skin protection

Avoid contact with skin, eyes and clothes.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	orange	
Odour:	characteristic	
Odour threshold:	not determined	
Melting point/freezing point:		not determined
Boiling point or initial boiling point and		271 °C
boiling range:		
Flammability:		not applicable
Lower explosion limits:		not determined
Upper explosion limits:		not determined
Flash point:		>100 °C
Auto-ignition temperature:		not determined
Decomposition temperature:		not determined
pH-Value:		not determined

Page 4 of 10



	Kisling - 4253	
Revision date: 21.03.2025	Product code: 4253	Page 5 of 10
Viscosity / kinematic:	not determined	
Water solubility:	practically insoluble	
Solubility in other solvents		
not determined		
Partition coefficient n-octanol/water:	not determined	
Vapour pressure:	not determined	
Density (at 20 °C):	1,05 g/cm³	
Relative density:	not determined	
Relative vapour density:	not determined	
Particle characteristics:	Polymer preparations and compounds	
	Particle size < 5 mm	
.2. Other information		
Information with regard to physical hazard classes		
Explosive properties		
The product is not: Explosive.		
Oxidizing properties		
The product is not: Spontaneously flammable.		
Other safety characteristics		
Evaporation rate:	not determined	
Solid content:	not determined	
Viscosity / dynamic:	28.000 mPa·s	
(at 20 °C)		

SECTION 10: Stability and reactivity

10.1. Reactivity

No known hazardous reactions.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

Thermal decomposition can lead to the escape of irritating gases and vapours. Vapours can form explosive mixtures with air.

10.4. Conditions to avoid

No information available.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

No data available

Acute toxicity

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

Kisling - 4253

Revision date: 21.03.2025

Product code: 4253

Page 6 of 10

ATEmix calculated

ATE (oral) > 5000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 50 mg/l; ATE (inhalation dust/mist) > 12.5 mg/l

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
80-15-9	cumene hydroperoxide	cumene hydroperoxide				
	oral	LD50 mg/kg	382	Rat	IUCLID	
	dermal	ATE mg/kg	1100			
	inhalation vapour	ATE	3 mg/l			
	inhalation dust/mist	ATE	0.5 mg/l			
114-83-0	2-phenylacetohydrazide					
	oral	LD50 mg/kg	270	Mouse	Pre-supplier/manufac turer	

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

No data available

Specific effects in experiment on an animal

No data available

Additional information on tests

No data available

Practical experience

May be harmful if swallowed, in contact with skin or if inhaled.

11.2. Information on other hazards

Other information No data available

Further information

No data available

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

according to Regulation (EC) No 1907/2006

Kisling - 4253

Revision date: 21.03.2025

Product code: 4253

Page 7 of 10

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

080410 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants other than those mentioned in 08 04 09

List of Wastes Code - used product

080410 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants other than those mentioned in 08 04 09

List of Wastes Code - contaminated packaging

080410 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants other than those mentioned in 08 04 09

Contaminated packaging

Completely emptied packages can be recycled. Dispose of waste according to applicable legislation.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:14.2. UN proper shipping name:14.3. Transport hazard class(es):14.4. Packing group:

Inland waterways transport (ADN)

14.1. UN number or ID number:

14.2. UN proper shipping name:

14.3. Transport hazard class(es):

14.4. Packing group:

Marine transport (IMDG)

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.



according to Regulation (EC) No 1907/2006

	Kisling - 4253	
Revision date: 21.03.2025	Product code: 4253	Page 8 of 10
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Air transport (ICAO-TI/IATA-DGR)		
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
14.6. Special precautions for user No information available.		
14.7. Maritime transport in bulk according to	NMO instruments	
not applicable	<u>s mo instruments</u>	
SECTION 15: Regulatory information		
	lations/legislation specific for the substance or mixture	
EU regulatory information	anons/registation specific for the substance or mixture	
0		
Restrictions on use (REACH, annex XVII): Entry 3, Entry 75		
Directive 2010/75/EU on industrial	0.419 % (4.399 g/l)	
emissions:	0. 110 /0 (1.000 gil)	
Information according to Directive	Not subject to 2012/18/EU (SEVESO III)	
2012/18/EU (SEVESO III):		
National regulatory information		
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juv	venile
	work protection guideline' (94/33/EC).	
Water hazard class (D):	2 - obviously hazardous to water	
Additional information		
Contains: Polytetrafluoroethylene (PTF	E)	
15.2. Chemical safety assessment		
	tances in this mixture were not carried out.	

SECTION 16: Other information

according to Regulation (EC) No 1907/2006

according to Regulation (EC) No 1907/2006				
Kisling - 4253				
Revision date: 21.03.2025	Product code: 4253	Page 9 of 10		
Abbreviations and acronyms Org. Perox Acute Tox: Acute toxicity Skin Corr: Skin corrosion STOT RE: Specific target org Aquatic Chronic: Chronic aqu CLP: Classification, labelling REACH: Registration, Evalua GHS: Globally Harmonised S UN: United Nations CAS: Chemical Abstracts Set DNEL: Derived No Effect Lew DMEL: Derived No Effect C ATE: Acute toxicity estimate LC50: Lethal concentration, S LD50: Lethal loading, 50% EL50: Effective Concentration ErC50: Effective Concentration NOEC: No Observed Effect O BCF: Bio-concentration facto PBT: persistent, bioaccumula vPvB: very persistent, very bi ADR: Accord européen sur le (European Agreement conce RID: Regulations concerning ADN: European Agreement conce RID: Regulations concerning ADN: European Agreement conce MDG: International Maritime EmS: Emergency Schedules MFAG: Medical First Aid Guid IATA: International Air Transp ICAO: International Civil Avia	Product code: 4253 an loxicity - repeated exposure inatic hazard and Packaging ation and Authorization of Chemicals bystem of Classification, Labelling and Packaging of Chemicals bystem of Classification bystem of Classification, Labelling and Packaging of Chemicals bystem of Classification bystem of Classification of Marine Pollution from Ships iner bystem of Classification bystem of Cla	Page 9 of 10		
SVHC: Substance of Very Hi				
	ed evaluation method according to Regulation (EC) No 1272/2008 [CLP]	i		
Classification	Classification procedure			
Aquatic Chronic 3; H412	Calculation method			
Relevant H and EUH statements				
	ng may cause a fire. if swallowed.			
	il if swallowed.			
	u n swanowed. jul in contact with skin.			
	es severe skin burns and eye damage.			
	if inhaled.			

H331 Toxic if inhaled.

H411 Toxic to aquatic life with long lasting effects.



Kisling	- 4253
---------	--------

Revision date: 21.03.2025

Product code: 4253

Page 10 of 10

Kisling AG

H412

Harmful to aquatic life with long lasting effects.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)